

IBM Storage Support for Microsoft Volume Shadow Copy
Service and Virtual Disk Service
Version 4.15.0

Release notes

IBM

First Edition (March 2018)

This edition applies to version 4.15.0 of the IBM Storage Support for Microsoft Volume Shadow Copy Service and Virtual Disk Service and to all subsequent releases and modifications until otherwise indicated in a newer publication. Newer document editions may be issued for the same product version in order to add missing information or amend typographical errors. The edition is reset to 'First Edition' for every new product version.

© Copyright IBM Corporation 2013, 2018.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

| | |
|--|-----------|
| Overview | 1 |
| Compatibility and requirements | 1 |
| Supported operating systems | 1 |
| Supported storage systems | 1 |
| Supported VMware platforms | 2 |
| Required software on the host | 2 |
| Change log | 3 |
| Version 4.15.0 (March 2018) | 3 |
| Version 4.14.0 (September 2017) | 3 |
| Version 4.13.0 (December 2016) | 4 |
| Version 4.12.0 (June 2016) | 4 |
| Version 4.11.0 (December 2015) | 5 |
| Version 4.10.0.1 (June 2015) | 5 |
| Version 4.10.0 (June 2015) | 5 |
| Version 4.9.0.1 (March 2015) | 6 |
| Version 4.9.0 (December 2014) | 6 |
| Version 4.8.0 (June 2014) | 7 |
| Version 4.7.0.1 (January 2014) | 7 |
| Version 4.7.0 (December 2013) | 7 |
| Version 4.6.0 (September 2013) | 7 |
| Version 4.5.0 (June 2013) | 8 |
| Version 4.4.0 (February 2013) | 8 |
| Known issues | 8 |
| Related information and publications | 11 |
| Getting information, help, and service | 11 |
| Notices | 13 |
| Trademarks | 14 |

Overview

The IBM® Storage Support for Microsoft Volume Shadow Copy Service (VSS) and Virtual Disk Service (VDS) for DS8000® and Storwize Family storage systems is a software module that runs as a service on Microsoft Windows Server.

The module automatically creates snapshots of Windows-based applications and uses the Windows Server VSS framework for its management interface. The snapshot data is stored and maintained on integrated DS8000 and Storwize Family storage systems.

You can download the IBM Storage Support for Microsoft VSS and VDS at the IBM Fix Central website (www.ibm.com/support/fixcentral/).

Compatibility and requirements

This section specifies the compatibility and requirements of version 4.15.0 of the IBM Storage Support for Microsoft VSS and VDS.

Supported operating systems

The IBM Storage Support for Microsoft VSS and VDS version 4.15.0 can work with the following operating systems:

| Operating system | Service Pack | Architecture |
|----------------------------------|--------------|--------------|
| Microsoft Windows Server 2008 | SP2 | x86, x64 |
| Microsoft Windows Server 2008 R2 | SP1 | x64 |
| Microsoft Windows Server 2012 | None | x64 |
| Microsoft Windows Server 2012 R2 | None | x64 |
| Microsoft Windows Server 2016 | None | x64 |

Note: Only NTFS volumes are supported.

Supported storage systems

The IBM Storage Support for Microsoft VSS and VDS support the following storage systems.

| IBM storage system | Microcode version |
|----------------------------|---|
| IBM DS8870 | 6.x, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5 |
| IBM DS8880 | 8.0, 8.1, 8.2, 8.3 |
| Storwize® V3500 | 6.4.1, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.x |
| IBM Storwize V3700 | 6.4.1, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.x |
| IBM Storwize V5000 | 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.x |
| IBM Storwize V7000 | 6.4, 6.4.1, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.x |
| IBM Storwize V7000 Unified | 1.4, 1.4.1, 1.4.3, 1.5, 1.5.1 |

| IBM storage system | Microcode version |
|---------------------------|---|
| IBM SAN Volume Controller | 6.4, 6.4.1, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.x |
| IBM FlashSystem® V840 | 1.1 |
| IBM FlashSystem V9000 | 7.6, 7.7, 7.8, 8.1.x |

Note: Newer microcode versions may also be compatible. When a newer microcode version becomes available, refer to the Lifecycle and support matrix page on IBM Knowledge Center to check whether the new microcode version is also supported.

Supported VMware platforms

The IBM Storage Support for Microsoft VSS and VDS support specific VMware server platforms.

| VMware platform | Version |
|---------------------|-------------------------|
| vSphere ESXi Server | 5.0, 5.1, 5.5, 6.0, 6.5 |
| vCenter Server | 5.0, 5.1, 5.5, 6.0 |

Required software on the host

The software that is required for the host system are necessary for the service to run effectively.

| Operating system | Service pack | Required components that must be installed manually |
|---------------------|----------------|---|
| Windows Server 2008 | Service Pack 1 | <ul style="list-style-type: none"> Microsoft Hotfix KB959476 (support.microsoft.com/kb/959476) |
| | Service Pack 2 | <ul style="list-style-type: none"> Microsoft Hotfix KB972135 (support.microsoft.com/kb/972135) Microsoft Hotfix KB2528357 (support.microsoft.com/kb/2528357) |
| | None | <ul style="list-style-type: none"> Microsoft Hotfix KB975688 (support.microsoft.com/kb/975688) Microsoft Hotfix KB2637197 (support.microsoft.com/kb/2637197) Microsoft Hotfix KB2661794 (support.microsoft.com/kb/2661794) Microsoft Hotfix KB2528357 (support.microsoft.com/kb/2528357) |

| Operating system | Service pack | Required components that must be installed manually |
|------------------------|--------------|--|
| Windows Server 2012 | None | <ul style="list-style-type: none"> • Microsoft Hotfix KB2916993 (support.microsoft.com/kb/2916993) • Microsoft Hotfix KB2929869 (support.microsoft.com/kb/2929869) • Microsoft Hotfix KB2913695 (support.microsoft.com/kb/2913695) • Microsoft Hotfix KB2878635 (support.microsoft.com/kb/2878635) • Microsoft Hotfix KB2894464 (support.microsoft.com/kb/2894464) • Microsoft Hotfix KB2838043 (support.microsoft.com/kb/2838043) • Microsoft Hotfix KB2803748 (support.microsoft.com/kb/2803748) • Microsoft Hotfix KB2770917 (support.microsoft.com/kb/2770917) • Microsoft Hotfix KB976424 (support.microsoft.com/kb/976424) |
| Windows Server 2012 R2 | None | <ul style="list-style-type: none"> • Microsoft Hotfix KB2955164 (support.microsoft.com/kb/2955164) • Microsoft Hotfix KB2919355 (support.microsoft.com/kb/2919355) • Microsoft Hotfix KB976424 (support.microsoft.com/kb/976424) |

Change log

The following topics summarize the changes that are made in different version releases of the IBM Storage Support for Microsoft VSS and VDS.

Version 4.15.0 (March 2018)

Version 4.15.0 adds support for the following storage system microcode versions:

- IBM SAN Volume Controller 8.1.x
- IBM Storwize V3500 8.1.x
- IBM Storwize V3700 8.1.x
- IBM Storwize V5000 8.1.x
- IBM Storwize V7000 8.1.x
- IBM FlashSystem V9000 8.1.x

Version 4.14.0 (September 2017)

Version 4.14.0 added support for the following storage system microcode versions:

- IBM DS8880 8.3
- IBM SAN Volume Controller 8.1
- IBM Storwize V3500 8.1
- IBM Storwize V3700 8.1
- IBM Storwize V5000 8.1
- IBM Storwize V7000 8.1
- IBM FlashSystem V9000 8.1

Version 4.13.0 (December 2016)

Version 4.13.0 added support for the following storage system microcode versions:

- IBM DS8880 8.2
- IBM SAN Volume Controller 7.8
- IBM Storwize V3500 7.8
- IBM Storwize V3700 7.8
- IBM Storwize V5000 7.8
- IBM Storwize V7000 7.8
- IBM FlashSystem V9000 7.8

Version 4.13.0 also includes the following enhancements and fix.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|---|
| VPSD-258799 | Enhancement: Improved performance when using a large number of hosts. |
| VPSD-258800 | Enhancement: For FlashCopy [®] Manager (FCM), the API now supports temporary read/write access to a snapshot with Dynamic Target Allocation on SVC storage. |
| VPSD-258801 | Enhancement: For FlashCopy Manager (FCM), more meaningful root causes are provided if the API returns _com_error . |
| VPSD-258798 | Fixed: For FlashCopy Manager (FCM), VSS VDS snapofsnap import fails if the readonly flag on the disk is yes while the disk was online. |

Version 4.12.0 (June 2016)

Version 4.12.0 included the following enhancement and fixes.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|--|
| VPSD-261146 | Enhancement: A new CIM class (IBMTSSVC_ConciseVolume) was created to improve performance when locating target volumes. |
| VPSD-258788 | Fixed: VSS VDS failed to connect to CIM when CIM was restarted after the CIM resource limitation was reached. |
| VPSD-258778 | Fixed: VSS VDS failed to delete a snapshot if the copy progress did not start, and the background copy rate was set higher than zero. |

| Ticket ID | Description |
|-------------|--|
| VPSD-258782 | Fixed: While a snapshot was being deleted from the ESXi RDM environment, it continued to be unmapped from the ESXi host even after the first step of removing the snapshot from the virtual machine (VM) failed. This caused the VM to not work properly. |

Version 4.11.0 (December 2015)

Version 4.11.0 included the following enhancements.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|--|
| VPSD-258693 | Enhancement: Private APIs for FlashCopy Manager (FCM) created to provide capability to manage a snapshot of a snapshot in order to perform mailbox level restores. |
| VPSD-258768 | Enhancement: A more detailed error message was created to be returned when the command <code>ibmvcfg set username/password</code> fails. The new error message reads: The key has been successfully set. However, with the newly set key and other existing keys we could not connect to CIM. |

Version 4.10.0.1 (June 2015)

Version 4.10.0.1 included the following fix.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|--|
| VPSD-258762 | Fixed: For DS8000 storage systems, if a source volume had multiple target volumes, restore from one of the target volumes would fail. Note: This issue existed since IBM Storage Support for Microsoft VSS and VDS version 4.9.0. |

Version 4.10.0 (June 2015)

Version 4.10.0 included the following enhancement and fixes.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|---|
| VPSD-258692 | Enhancement: Dynamic allocation of FlashCopy targets for supported versions of SAN Volume Controller and DS8000. |
| VPSD-258747 | Fixed: If IBM Storage Support for Microsoft VSS and VDS is installed to a new Windows server, the password for connecting to the storage system is not correctly stored. |
| VPSD-258738 | Fixed: The retry logic for handling VMware vSphere Web Services SDK failure may not work after several tries. |

Version 4.9.0.1 (March 2015)

Version 4.9.0.1 included the following enhancement.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|--|
| VPSD-258734 | Enhancement: Support for IBM China Systems & Technology Certification (CSTL) certification. |

Version 4.9.0 (December 2014)

Version 4.9.0 included the following enhancements and fixes.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|--|
| VPSD-258691 | Enhancement: Added support for the IBM DS8000 SE FlashCopy. Note: To restore from SE FlashCopy, upgrade CIM to version 5.7.4.10 or later. |
| VPSD-258686 | Enhancement: Added support for configuring Soap timeout for the VMware platform, from the <code>ibmvcfg.exe</code> file. |
| VPSD-258699 | Fixed: Handle exception within VMware RDM adding function: <code>addRDMArrToVM(String [])</code> |
| VPSD-258715 | Fixed: When masking LUNs, removing disks from VM fails, but VSS continues to move LUN from ESXi to the reserved pool. |
| VPSD-258717 | Fixed: Disabled SSLv3 to avoid man-in-the-middle (POODLE) attacks. |

Version 4.8.0 (June 2014)

Version 4.8.0 included a name change from IBM System Storage® Support for Microsoft Volume Shadow Copy Service and Virtual Disk Service to IBM Storage Support for Microsoft Volume Shadow Copy Service and Virtual Disk Service.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

Additional changes in version 4.8.0:

| Ticket ID | Description |
|-------------|--|
| VPSD-258678 | Enhancement: Supporting CSV backup, which contains the VM. |
| VPSD-258679 | Enhancement: Added support for Windows Server 2012 R2 Failover Cluster. |
| VPSD-258680 | Enhancement: Integrated <code>ibmrescan.exe</code> into <code>ibmvss.exe</code> . There is no need to copy the <code>ibmrescan.exe</code> file to the Microsoft Hyper-V host nor to configure the <code>rescandeviccmd</code> parameter with the <code>ibmvcfg.exe</code> file. |

Version 4.7.0.1 (January 2014)

Version 4.7.0.1 added the following critical fix.

| Ticket ID | Description |
|-------------|---|
| VPSD-258668 | Fixed: The installation gets stuck in a loop if the CIMOM user name or password is not configured correctly. |

Version 4.7.0 (December 2013)

Version 4.7.0 added support for IBM Storwize V5000 and for Microsoft Hyper-V.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

Additional changes for version 4.7.0:

| Ticket ID | Description |
|-------------|--|
| VPSD-258618 | Fixed: Removed the limitation of configuring an individual free storage pool for each host. |
| VPSD-258619 | Fixed: In Windows Failover Cluster, if the <code>vmhost</code> is set to the cluster IP, then the Cluster Owner and Hyper-v host, which VM is on, must be on the same node. |

Version 4.6.0 (September 2013)

Version 4.6.0 added support for several storage systems and VMware platforms.

For information about all supported systems, see “Supported storage systems” on page 1. For information on VMware platforms, see “Supported VMware platforms” on page 2.

| Ticket ID | Description |
|-------------|---|
| VPSD-258628 | Fixed: Zero KB virtual machine disk (VMDK) files might be left on the VMware ESXi/vCenter datastore after multiple snapshots were mounted via physical Raw Device Mapping (pRDM) and then deleted. The zero KB VMDK files occupied the positions of the normal (non-zero KB) VMDK files. |

Version 4.5.0 (June 2013)

Version 4.5.0 included two notable changes.

| Ticket ID | Description |
|-------------|--|
| VPSD-250031 | Fixed: Cascading FlashCopy volumes are mapped to the wrong host after deleting shadows when the backgroupCopy is zero. |
| VPSD-251973 | Fixed: The Devicepath cannot be parsed into the VDisk ID in hosts without SDDDSM. |

Version 4.4.0 (February 2013)

Version 4.4.0 included the following change.

| Ticket ID | Description |
|-------------|--|
| VPSD-246573 | The VDS provider is not automatically registered after installation. |

Known issues

The known issues that are in version 4.15.0 of the IBM Storage Support for Microsoft VSS VDS are summarized here.

| Ticket ID | Description |
|-------------|--|
| VPSD-245364 | <p>When Microsoft Data Protection Manager (DPM) creates FlashCopy for the shared source volume, if the space-efficient volume and copy rate are zero, a cascading FlashCopy is created unexpectedly. Deleting the cascading FlashCopy causes an error to the target volumes.</p> <p>Workaround: Set the background copy rate above zero when you use the space efficient volume in Microsoft DPM.</p> |

| Ticket ID | Description |
|-------------|--|
| VPSD-258716 | <p>When you open an administrator command prompt in Microsoft Windows Server 2012 or 2012 R2 and create a Volume Shadow Services (VSS) DiskShadow snapshot, you might produce a message similar to the following output:</p> <pre>DISKSHADOW> add volume c: DISKSHADOW> create COM call "lvssObject4->GetRootAndLogicalPrefixPaths" failed.</pre> <p>This type of COM call failure message is harmless, and despite the message, the ShadowCopy backup completes successfully. For more details, refer to the Microsoft Knowledge Base article (http://support.microsoft.com/kb/3025158).</p> |
| VPSD-258651 | <p>Incremental FlashCopy does not support dynamic disks with concatenate volumes either spanned or striped, and does not support multi-target volumes for the same source disk.</p> <p>Currently there is no solution or workaround for this limitation.</p> |
| VPSD-258653 | <p>Supports only the embedded CIM Agent that is packaged with the VSS VDS code.</p> <p>Currently there is no solution or workaround for this limitation.</p> |
| VPSD-258655 | <p>For the SAN Volume Controller/Storwize V7000 cascading/multi-target FlashCopies with zero copy rate, after restoring one of the FlashCopy mappings, the current and newer FlashCopy relationships are withdrawn. The current target volume and newer FlashCopy volumes are returned to the free storage pool.</p> <p>Currently there is no solution or workaround for this limitation.</p> |
| VPSD-258656 | <p>For the SAN Volume Controller/Storwize V7000 cascading/multi-target FlashCopies with zero copy rate, after deleting one of the FlashCopy mappings, the current and earlier FlashCopy relationships are withdrawn. The current target volume and earlier FlashCopy volumes are returned to the free storage pool. The snapshot IDs of earlier FlashCopy volumes stay in the host until the next snapshot/restore is run. Alternatively, ibmvcfg.exe cleanupDependentMaps can be used to manually clean up the snapshot IDs of earlier FlashCopy volumes.</p> <p>Currently there is no solution or workaround for this limitation.</p> |

| Ticket ID | Description |
|-------------|--|
| VPSD-258657 | <p>Before using the IBM Virtual Disk Service, Java™ JRE 7.0 must be installed. For example, ibm-java-jre-70-win-i386.exe or ibm-java-jre-70-win-x86_64.exe.</p> <p>Currently there is no solution or workaround for this limitation.</p> |
| VPSD-258658 | <p>Starting from version 4.4.0, IBM VDS provider is not automatically registered after installation.</p> <p>Workaround: To manually register IBM VDS provider, issue the regsvr32 ibmvds.dll command under the directory of the IBM VSS provider.</p> |
| VPSD-258805 | <p>To avoid problems when upgrading from a VSS VDS main version to its sub-version, uninstall the main version first. Then install its sub-version with the default configuration and double-click the cfg.reg file, which is generated in the installation path, to restore the configuration.</p> <p>Currently there is no solution or workaround for this limitation.</p> |
| VPSD-258759 | <p>For DS8000 storage systems, a source volume can be restored only once if it is involved in either of the following cases:</p> <ul style="list-style-type: none"> • The FlashCopy is non-incremental, and either the source volume or the target volume is an SE volume. • The FlashCopy is non-incremental, and the background copy rate is 0. <p>Currently there is no solution or workaround for this limitation.</p> |
| VPSD-258791 | <p>If a virtual machine (VM) that is booted via UEFI is detected by VSS VDS, it is not recognized as a VM, because a VM booted via UEFI produces different SMBIOS data from one booted via BIOS.</p> <p>Workaround: Boot VMs via BIOS, not UEFI.</p> |
| VPSD-258794 | <p>While cascaded FlashCopy mappings for dynamic target volume allocation are being deleted, FlashCopies created dynamically before the deleted ones are moved to a free pool instead of being removed.</p> <p>Currently there is no solution or workaround for this limitation.</p> |
| VPSD-258795 | <p>In a cascading environment, VSS VDS does not support restoration of a transportable FlashCopy while using a passthrough connection.</p> <p>Currently there is no solution or workaround for this limitation.</p> |

Related information and publications

You can find more information and publications that are related to the IBM Storage Support for Microsoft VSS and VDS.

- IBM Storwize V3500 on IBM Knowledge Center ([ibm.com®/support/knowledgecenter/STLM6B](http://ibm.com/support/knowledgecenter/STLM6B))
- IBM Storwize V3700 on IBM Knowledge Center (ibm.com/support/knowledgecenter/STLM5A)
- IBM Storwize V5000 on IBM Knowledge Center (ibm.com/support/knowledgecenter/STHGUJ)
- IBM Storwize V7000 on IBM Knowledge Center (ibm.com/support/knowledgecenter/ST3FR7)
- IBM Storwize V7000 Unified on IBM Knowledge Center (ibm.com/support/knowledgecenter/ST5Q4U)
- IBM SAN Volume Controller on IBM Knowledge Center (ibm.com/support/knowledgecenter/STPVGU)
- IBM DS8870 on IBM Knowledge Center (ibm.com/support/knowledgecenter/ST8NCA)
- IBM DS8880 on IBM Knowledge Center (ibm.com/support/knowledgecenter/ST5GLJ)
- IBM FlashSystem V9000 on IBM Knowledge Center (ibm.com/support/knowledgecenter/STKMQV)
- IBM FlashSystem V840 on IBM Knowledge Center (ibm.com/support/knowledgecenter/ST2HTZ)
- VMware Product Support for VMware vSphere (vmware.com/support/product-support/vsphere), including support for ESX, ESXi, and vCenter.
- VMware Knowledge Base (kb.vmware.com)
- Microsoft MSDN web page for Volume Shadow Copy Service (msdn.microsoft.com/en-us/library/bb968832.aspx)
- Microsoft Windows Server Troubleshooting Center (technet.microsoft.com/en-us/windowsserver)

Getting information, help, and service

If you need help, service, technical assistance, or want more information about IBM products, you can find various sources to assist you. You can view the following websites to get information about IBM products and services and to find the latest technical information and support.

- IBM website (ibm.com)
- IBM Support Portal website (www.ibm.com/storage/support)
- IBM Directory of Worldwide Contacts website (www.ibm.com/planetwide)

Notices

These legal notices pertain to the information in this IBM Storage product documentation.

This information was developed for products and services offered in the US. This material may be available from IBM in other languages. However, you may be required to own a copy of the product or product version in that language in order to access it.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
USA*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
USA*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data discussed herein is presented as derived under specific operating conditions. Actual results may vary.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Trademarks

IBM, the IBM logo, and [ibm.com](http://www.ibm.com) are trademarks or registered trademarks of the International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Copyright and trademark information website at:

<http://www.ibm.com/legal/us/en/copytrade.shtml>

VMware, the VMware logo, ESX, ESXi, vSphere, vCenter, and vCenter Site Recovery Manager are trademarks or registered trademarks of VMware Corporation in the United States, other countries, or both.

Microsoft, Windows Server, Windows, and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States, other countries, or both.

Other product and service names might be trademarks of IBM or other companies.



Printed in USA