

IBM Storage Enabler for Containers  
Version 2.0.0

*Release Notes*



**First Edition (December 2018)**

This edition applies to version 2.0.0 of the IBM Storage Enabler for Containers software package. Newer document editions may be issued for the same product version in order to add missing information, update information, or amend typographical errors. The edition is reset to 'First Edition' for every new product version.

© **Copyright IBM Corporation 2018.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

<b>Overview</b>	<b>1</b>
What's new in version 2.0.0	1
Compatibility and requirements	2
Supported storage systems	2
Supported operating systems	3
Supported orchestration platforms	3
Change log	3
Version 2.0.0 (December 2018)	3
Limitations	4
Known issues	4
Related information and publications	6
Getting information, help, and service	7
<b>Notices</b>	<b>9</b>
Trademarks	10



---

## Overview

IBM Storage Enabler for Containers provisions storage volumes from an external IBM storage to container frameworks. Storage provisioning can be fully automatized with additional support of cluster orchestration systems to automatically deploy, scale and manage containerized applications.

IBM® Storage Enabler for Containers supports IBM block storage systems and IBM Spectrum Scale.

- The block storage is supported via IBM Spectrum Connect. IBM Storage Enabler for Containers communicates with the IBM storage systems through Spectrum Connect. Spectrum Connect creates a storage profile and makes it available for Kubernetes.
- IBM Spectrum Scale, file storage solution, is supported directly, using the IBM Spectrum Scale management API v2.

You can download the IBM Spectrum Connect software package at any time from the IBM Fix Central website ([www.ibm.com/support/fixcentral](http://www.ibm.com/support/fixcentral)).

---

## What's new in version 2.0.0

Version 2.0.0 introduces a range of enhancements and fixes as detailed in the following sections.

**General availability date:** 20 December 2018

### **IBM Spectrum Scale support**

Version 2.0.0 introduces support for IBM Spectrum Scale, innovative storage and data management platform.

### **Support for IBM Cloud Private version 3.1.1 and Kubernetes version 1.12**

Version 2.0.0 adds support for version 3.1.1 of IBM's application platform for developing and managing on-premises, containerized applications, IBM Cloud Private (ICP). In addition, it can be operated in conjunction with the new release of Kubernetes orchestration platform, version 1.12.

### **More flexible storage connection, using mixed Fibre Channel and iSCSI SANs**

Version 2.0.0 allows for more efficient use of installed storage infrastructure by mixing Fibre Channel and iSCSI storage connectivity within the same Kubernetes cluster. However, each node supports only one connection type, either FC or iSCSI.

### **Performance improvements**

Version 2.0.0 improves handling of faulty multipathing devices and introduces Kubernetes service accounts for more effective pod authorization procedure.

## Resolved issues

For information about resolved issues in version 2.0.0, see “Change log” on page 3.

## Compatibility and requirements

This section specifies the compatibility and requirements of version 2.0.0 of IBM Storage Enabler for Containers.

**Note:** For information about the compatibility and requirements of previous versions of IBM Storage Enabler for Containers, refer to relevant release notes of IBM Spectrum Connect software suite.

## Supported storage systems

IBM Storage Enabler for Containers version 2.0.0 supports different IBM storage systems as listed in the following table.

Storage system	Microcode version	Compatibility note
IBM DS8870	7.5.1	IBM System Z (s390x) architecture is not supported.
IBM DS8880	8.0.1, 8.1.x, 8.2.x, 8.3.x, 8.4.x, 8.5.x	IBM System Z (s390x) architecture is not supported.
IBM FlashSystem 9100	8.2.x	
IBM FlashSystem A9000	12.0.x, 12.1.x, 12.2.x, 12.3.x	
IBM FlashSystem A9000R	12.0.x, 12.1.x, 12.2.x, 12.3.x	
IBM FlashSystem V9000	7.4.1, 7.5.0, 7.6.0, 7.7.0, 7.8.x, 8.1.x, 8.2.x	
IBM SAN Volume Controller	7.4.0, 7.5.0, 7.6.0, 7.7.0, 7.8.x, 8.1.x, 8.2.x	Microcode 7.3.0 PTF (with security fix) is also supported.
IBM Spectrum Accelerate	11.5.x	
IBM Spectrum Scale	5.x.x, see recommended version for deployment	<ul style="list-style-type: none"><li>• Operating system: RHEL, see IBM Spectrum Scale FAQs</li><li>• Architecture: x64, IBM Power Systems (ppc64le)</li><li>• Orchestration platform: Kubernetes (1.10, 1.11, 1.12), ICP (2.1.0.3, 3.1.x)</li></ul>
IBM Spectrum Virtualize™ as software only	7.7.1, 7.8.x, 8.1.x, 8.2.x	Microcode 7.3.0 PTF (with security fix) is also supported.
IBM Storwize® V3500	7.4.0, 7.5.0, 7.6.0, 7.7.0, 7.8.x	Microcode 7.3.0 PTF (with security fix) is also supported.
IBM Storwize V3700	7.4.0, 7.5.0, 7.6.0, 7.7.0, 7.8.x	Microcode 7.3.0 PTF (with security fix) is also supported.
IBM Storwize V5000	7.4.0, 7.5.0, 7.6.0, 7.7.0, 7.8.x, 8.1.x, 8.2.x	Microcode 7.3.0 PTF (with security fix) is also supported.
IBM Storwize V7000	7.4.0, 7.5.0, 7.6.0, 7.7.0, 7.8.x, 8.1.x, 8.2.x	Microcode 7.3.0 PTF (with security fix) is also supported.
IBM XIV® Storage System	11.4.x, 11.5.x, 11.6.x	

---

**Note:**

- Newer microcode versions may also be compatible. When a newer microcode version becomes available, contact IBM Support to inquire whether the new microcode version is compatible with the current version of IBM Storage Enabler for Containers.
  - IBM FlashSystem® V9000, IBM FlashSystem 9100, IBM Storwize Family and IBM SAN Volume Controller storage systems run the IBM Spectrum Virtualize software. In addition, IBM Spectrum Virtualize package is available as a deployable solution that can be run on any compatible hardware.
- 

## Supported operating systems

The following table lists operating systems required for deployment of the IBM Storage Enabler for Containers.

*Table 1. Operating systems*

Operating system	Architecture
Red Hat Enterprise Linux (RHEL) 7.x	x64, IBM Power Systems (ppc64le), IBM System Z (s390x)
Ubuntu 16.04 or later	x64
SUSE Linux Enterprise Server (SLES) 12	IBM System Z (s390x)

## Supported orchestration platforms

The following table details orchestration platforms suitable for deployment of the IBM Storage Enabler for Containers.

*Table 2. Orchestration platforms*

Orchestration platform	Version	Architecture
Kubernetes	1.9–1.12	x64, IBM System Z (s390x)
IBM Cloud Private	3.1.1	x64, IBM Power Systems (ppc64le), IBM System Z (s390x)

---

**Note:** For details about IBM Cloud Private offering, refer to IBM Marketplace.

---

---

## Change log

This section summarizes the changes that were made in released version of IBM Storage Enabler for Containers.

---

**Note:** New functional features of these versions are only briefly summarized. For a detailed summary of the new functional features of a specific version, refer to the 'What's new' section of its release notes.

---

### Version 2.0.0 (December 2018)

Version 2.0.0 provides the following enhancements:

- Support for IBM Spectrum Scale platform.
- Support for IBM Cloud Private version 3.1.1.
- Support for Kubernetes version 1.12.

- Support for mixed Fibre Channel and iSCSI storage connectivity.

Ticket ID	Description
UB-1103	<b>Fixed:</b> Installation of the IBM Storage Enabler for Containers fails on DS8000 storage systems.
UB-1525	<b>Fixed:</b> Installation of Enabler for Containers on x86 or IBM System Z servers for Spectrum Virtualize storage systems in Fibre Channel environment might fail.

---

## Limitations

As opposed to known issues, limitations are functionality restrictions that are part of the predefined system design and capabilities in a particular version.

### **IBM Storage Enabler for Containers does not support simultaneous deployment with IBM block and IBM Spectrum Scale storage systems**

Currently, a single instance of IBM Storage Enabler for Containers can be deployed with either IBM block storage system or IBM Spectrum Scale, but not with both of them.

### **IBM Storage Enabler for Containers does not support volume migration using IBM Hyper-Scale Mobility**

IBM Storage Enabler for Containers does not support volume migration using IBM Hyper-Scale Mobility for the storage volumes utilized by Kubernetes clusters.

---

## Known issues

This section details the known issues in version 2.0.0 of Storage Enabler for Containers, along with possible solutions or workarounds (if available).

The following severity levels apply to known issues:

- **HIPER** – High Impact Pervasive. A critical issue that IBM has either fixed or plans to fix promptly. Requires immediate customer attention or code upgrade.
- **High Impact** – Potentially irrecoverable error that might impact data or access to data in rare cases or specific situations/configurations.
- **Moderate** – Limited functionality issue and/or performance issue with a noticeable effect.
- **Service** – Non-disruptive recoverable error that can be resolved through a workaround.
- **Low** – Low-impact usability-related issue.



---

**Important:**

- **The issues listed below apply to version 2.0.0 or earlier versions.** As long as a newer version has not yet been released, a newer release notes edition for version 2.0.0 might be issued to provide a more updated list of known issues and workarounds.
  - When a newer version is released for general availability, the release notes of version 2.0.0 will no longer be updated. Accordingly, check the release notes of the newer version to learn whether any newly discovered issues affect version 2.0.0 or whether the newer version resolves any of the issues listed below.
- 

Table 3. Known issues

Ticket ID	Severity	Description
UB-66	Moderate	<p>If a volume is renamed directly on a storage system and removed from a node, it is deleted from the Enabler for Containers database, but remains intact on the storage itself.</p> <p>To avoid this issue, do not rename volumes on a storage system, if the volumes are used by containerized applications.</p>
UB-380	Moderate	<p>When creating a PVC with an underscore, <code>_</code>, in <i>pv-name</i> label, the volume is created on the storage system, but it fails to be created in the Kubernetes environment.</p> <p>To avoid this issue, do not use an underscore in a PVC <i>pv-name</i> label.</p>
UB-454	Moderate	<p>Identifying incorrect IP address of the Enabler for Containers server by the FlexVolume driver might take up to 2 minutes.</p> <p>Currently there is no solution or workaround for this limitation.</p>
UB-499	Moderate	<p>On the storage systems that run Spectrum Virtualize, volume operations might fail, if a Kubernetes node name starts with a number</p> <p>To avoid this issue, do not use numbers as initial symbols in Kubernetes node names.</p>
UB-579	Moderate	<p>A container might remain in the <i>ContainerCreating</i> status for a long period of time. In addition, an unresponsive <i>sg_inq</i> process exists on a pod worker node and failed multipath devices are present in the system.</p> <p>To resolve this issue, terminate the unresponsive process, using the <code>-9</code> signal, or run the <b>multipath -F</b> command to clean the faulty devices, holding the process.</p>

Table 3. Known issues (continued)

Ticket ID	Severity	Description
UB-612	Moderate	<p>PVC creation process might remain in the Pending state for more than two minutes. In addition, the following message is stored in the IBM Storage Enabler for Containers pod log No storage resource that can match the requirements found. Reason is: A volume with this name already exists. Array is: storage_system_name. Requested volume name is: volume_name..</p> <p>To resolve this issue:</p> <ul style="list-style-type: none"> <li>• Delete the pending PVC, using <b>kubect1 delete pvc PVC-&lt;ID&gt;</b> command.</li> <li>• Create a new PVC.</li> <li>• Contact your storage administrator, requesting to delete the failed PVC volume on the storage system itself. Then, refresh the storage system in the Spectrum Connect GUI.</li> </ul>
UB-1073	Moderate	<p>Pod becomes unresponsive, persisting in the <i>ContainerCreating</i> status. An error indicating a failure to discover a new volume WWN, while running the <b>multipath -ll</b> command, is stored in the FlexVolume log. This log belongs to the node, where the pod was scheduled.</p> <p>To resolve this issue, restart the <i>multipathd</i> service by running the <b>service multipathd restart</b> command.</p>
UB-1733	Moderate	<p>When a pod is deleted, it might become unresponsive, persisting in the <i>Terminating</i> status.</p> <p>Currently there is no solution or workaround for this limitation.</p>
UB-1534	Low	<p>When used on DS8000 storage systems, the Enabler for Containers service cannot be stopped via the <b>./ubiquity_cli.sh -a stop</b> command.</p> <p>Currently there is no solution or workaround for this limitation.</p>

## Related information and publications

You can find additional information and publications related to IBM Storage Enabler for Containers on the following information sources.

- IBM Knowledge Center ([ibm.com/support/knowledgecenter](http://ibm.com/support/knowledgecenter))
- IBM DS8000® on IBM Knowledge Center ([ibm.com/support/knowledgecenter/ST8NCA](http://ibm.com/support/knowledgecenter/ST8NCA))
- IBM DS8880 on IBM Knowledge Center ([ibm.com/support/knowledgecenter/ST5GLJ](http://ibm.com/support/knowledgecenter/ST5GLJ))
- IBM FlashSystem V9000 on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STKMVQ](http://ibm.com/support/knowledgecenter/STKMVQ))
- IBM SAN Volume Controller on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STPVGU](http://ibm.com/support/knowledgecenter/STPVGU))
- IBM Spectrum Scale on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STXKQY](http://ibm.com/support/knowledgecenter/STXKQY))

- IBM Storwize V3500 on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STLM6B](http://ibm.com/support/knowledgecenter/STLM6B))
- IBM Storwize V3700 on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STLM5A](http://ibm.com/support/knowledgecenter/STLM5A))
- IBM Storwize V5000 on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STHGUJ](http://ibm.com/support/knowledgecenter/STHGUJ))
- IBM Storwize V7000 on IBM Knowledge Center ([ibm.com/support/knowledgecenter/ST3FR7](http://ibm.com/support/knowledgecenter/ST3FR7))
- IBM Storwize V7000 Unified on IBM Knowledge Center ([ibm.com/support/knowledgecenter/ST5Q4U](http://ibm.com/support/knowledgecenter/ST5Q4U))
- IBM XIV Storage System on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STJTAG](http://ibm.com/support/knowledgecenter/STJTAG))
- IBM Spectrum Accelerate on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STZSWD](http://ibm.com/support/knowledgecenter/STZSWD))
- IBM FlashSystem A9000 on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STJKMM](http://ibm.com/support/knowledgecenter/STJKMM))
- IBM FlashSystem A9000R on IBM Knowledge Center ([ibm.com/support/knowledgecenter/STJKN5](http://ibm.com/support/knowledgecenter/STJKN5))
- Spectrum Connect-related questions on IBM developerWorks® ([developer.ibm.com/answers/topics/spectrum%20control/#](http://developer.ibm.com/answers/topics/spectrum%20control/#))
- Persistent volumes on Kubernetes ([kubernetes.io/docs/concepts/storage/volumes](http://kubernetes.io/docs/concepts/storage/volumes))

---

## Getting information, help, and service

If you need help, service, technical assistance, or want more information about IBM products, you can find various sources to assist you. You can view the following websites to get information about IBM products and services and to find the latest technical information and support.

- IBM website ([ibm.com](http://ibm.com)®)
- IBM Support Portal website ([ibm.com/support/entry/portal/support?brandind=Hardware~System\\_Storage](http://ibm.com/support/entry/portal/support?brandind=Hardware~System_Storage))
- IBM Directory of Worldwide Contacts website ([ibm.com/planetwide](http://ibm.com/planetwide))

Use the Directory of Worldwide Contacts to find the appropriate phone number for initiating voice call support. Select the Software option, when using voice response system.

When asked, provide your Internal Customer Number (ICN) and/or the serial number of the storage system that requires support. Your call will then be routed to the relevant support team, to whom you can provide the specifics of your problem.



---

## Notices

These legal notices pertain to the information in this IBM Storage product documentation.

This information was developed for products and services offered in the US. This material may be available from IBM in other languages. However, you may be required to own a copy of the product or product version in that language in order to access it.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing  
IBM Corporation  
North Castle Drive, MD-NC119  
Armonk, NY 10504-1785  
USA*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing  
Legal and Intellectual Property Law  
IBM Japan Ltd.  
19-21, Nihonbashi-Hakozakicho, Chuo-ku  
Tokyo 103-8510, Japan*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Director of Licensing  
IBM Corporation  
North Castle Drive, MD-NC119  
Armonk, NY 10504-1785  
USA*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data discussed herein is presented as derived under specific operating conditions. Actual results may vary.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

---

## Trademarks

IBM, the IBM logo, and [ibm.com](http://ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Copyright and trademark information website ([www.ibm.com/legal/us/en/copytrade.shtml](http://www.ibm.com/legal/us/en/copytrade.shtml)).

VMware, ESX, ESXi, vSphere, vCenter, and vCloud are trademarks or registered trademarks of VMware Corporation in the United States, other countries, or both.

Microsoft, Windows Server, Windows, and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States, other countries, or both.

Linux is a trademark of Linus Torvalds in the United States, other countries, or both.

Other product and service names might be trademarks of IBM or other companies.









Printed in USA